l infinito mario nanni 2012

seduta per esterni autoportante realizzata in acciaio cor-ten a cui si fissano doghe in legno di larice o teak trattate per esterno.
i supporti laterali da fissare a terra tramite tirafondo possono essere posizionati a diverse distanze tra loro e sono componibili in modo tale che la seduta possa avere una lunghezza minima di 600mm allungabile fino all'infinito.
la forma sinuosa è stata ideata per permettere l'accomodamento in diverse posizioni: seduta con schiena in appoggio allo schienale, seduta con petto in appoggio allo schienale posizione in piedi con appoggio sacrale sullo schienale.
modelli:
l infinito dimensioni seduta 600mm o 1500mm,
l infinito componibile con supporto seduta laterali e centrale, tirafondo, doghe in legno 600mm e 1500mm.
dimensioni: altezza massima schienale1050mm, profondità massima seduta 760mm.
finiture: supporto seduta acciaio cor-ten, doghe in legno di larice o legno teak.

free-standing outdoor seat made of cor-ten steel to which wooden slats of larch or teak treated for exterior use are fixed.
the lateral supports to be secured to the ground by means of ground anchors can have different spacings between them and are adjustable so that the seat can have a minimum length of 600mm and can extend to infinity.
the curved shape has been designed to allow for a variety of different positions: seated with the back resting against the backrest, seated with the chest leaning against the backrest or standing with sacral resting on the backrest.
versions:
l infinito, 600mm or 1500mm seat dimension,
***l infinito componibile with lateral and central seat support,* ground anchor, *600mm and 1500mm* wooden slats.**
sizes: maximum backrest 1050mm height, maximum seat 760mm depth.
finishes: cor-ten steel seat support, wooden slats of larch or teak.





linfinito			
Vb4.023.01	acciaio cor-ten + teak · cor-ten steel + teak	600mm	54
Vb4.023.02	acciaio cor-ten + larice · cor-ten steel + larch	600mm	54





Vb4.023.11	acciaio cor-ten + teak · cor-ten steel + teak	1500mm	80
Vb4.023.12	acciaio cor-ten + larice · cor-ten steel + larch	1500mm	80



a



b



c



d



e

l infinito componibile



Vb4.023.31 supporto seduta con alloggio doghe dx — acciao cor-ten — 18,9
seat support with housing for slats right — cor-ten steel



Vb4.023.41 supporto seduta con alloggio doghe sx — acciao cor-ten — 18,9
seat support with housing for slats left — cor-ten steel



Vb4.023.51 supporto seduta con alloggio doghe passante — acciao cor-ten — 18,9
seat support with housing for slats left — cor-ten steel



Vb9.023.81	seduta · seat	teak	600mm	16,4
Vb9.023.82	seduta · seat	larice · larch	600mm	16,4



Vb9.023.83	seduta · seat	teak	1500mm	42,3
Vb9.023.84	seduta · seat	larice · larch	1500mm	42,3



1 Vb4.023.41
2 Vb4.023.83/84
3 Vb4.023.51
4 Vb9.023.81/82
5 Vb4.023.31









componenti. components.

Vb9.023.90 tirafondo incassato · built in ground anchor 48





Subscribe To Our Newsletter

Cirrus Lighting

Distributor for Viabizzuno
Architectural Lighting Solutions
Web: www.cirruslighting.co.uk
Email: sales@cirruslighting.co.uk
Tel: 0207 193 2175
Fax: 0207 193 3175