leis peter zumthor 2009

apparecchio di illuminazione a soffitto o incasso per interni ed esterni IP44.
realizzato in alluminio estruso di forma cubica ossidato o anticato, completo di vetro di protezione.
dimensioni:
100x100mm h.110mm
cablato con sorgente elettronica 2700K o 3000K Ra95 12,4W fino a 826lm.
alimentatore 240V 50-60Hz in corrente costante incluso.
ottiche: 13° 20° 36°
accessori: cassaforma in gesso a scomparsa totale per installazione a incasso.
finiture: argento hacca, marrone mn e my bianco.

IP44 rated ceiling or recessed light fitting for indoor and outdoor use.
made of powder coated extruded oxidised aluminium in the shape of a cube, complete with protective glass.
sizes: 100x100mm h.110mm.
wired with 2700K or 3000K Ra95 12.4W up to 826lm led source.
240V 50-60Hz non dimmable power supply included.
optics: 13° 20° 36°
accessories: fully concealed plaster housing for recessed installation.
finishes: argento hacca, marrone mn e my bianco.



leis	240V 50-60Hz		IP44		
Vb6.184.31.27	argento hacca	2700K	13°	0,8
Vb6.184.33.27	marrone mn	2700K	13°	0,8
Vb6.184.35.27	my bianco	2700K	13°	0,8
Vb6.184.41.27	argento hacca	2700K	20°	0,8
Vb6.184.43.27	marrone mn	2700K	20°	0,8
Vb6.184.45.27	my bianco	2700K	20°	0,8
Vb6.184.51.27	argento hacca	2700K	36°	0,8
Vb6.184.53.27	marrone mn	2700K	36°	0,8
Vb6.184.55.27	my bianco	2700K	36°	0,8

Ra	ies tm-30		sdcm	mA	$V_{f\,(min)}$	lm	W	lm/W	
95	Rf 92	Rg 100	step 2	700	17,8	767	12,4	62	**A**
cd010	les6 ●	Ta25 °C	vita media · average life		50000 h		L70	B10	

Vb6.184.31.30	argento hacca	3000K	13°	0,8
Vb6.184.33.30	marrone mn	3000K	13°	0,8
Vb6.184.35.30	my bianco	3000K	13°	0,8
Vb6.184.41.30	argento hacca	3000K	20°	0,8
Vb6.184.43.30	marrone mn	3000K	20°	0,8
Vb6.184.45.30	my bianco	3000K	20°	0,8
Vb6.184.51.30	argento hacca	3000K	36°	0,8
Vb6.184.53.30	marrone mn	3000K	36°	0,8
Vb6.184.55.30	my bianco	3000K	36°	0,8

Ra	ies tm-30		sdcm	mA	$V_{f\,(min)}$	lm	W	lm/W	
95	Rf 92	Rg 100	step 2	700	17,8	826	12,4	66	**A**
cd011	les6 ●	Ta25 °C	vita media · average life		50000 h		L70	B10	

interasse fori di installazione
installation hole distance







accessori. accessories.		
f9.184.81	cassaforma in gesso a scomparsa totale fully concealed plaster housing	2,5

cassaforma in gesso a scomparsa totale f9.184.81
fully concealed plaster housing

1.



2.



3.



4.







Subscribe To Our Newsletter

Cirrus Lighting

Distributor for Viabizzuno
Architectural Lighting Solutions
Web: www.cirruslighting.co.uk
Email: sales@cirruslighting.co.uk
Tel: 0207 193 2175
Fax: 0207 193 3175