






**apparecchio di illuminazione da incasso a parete o soffitto per interni IP20. realizzato in gesso per permettere di applicare alla superficie del corpo la stessa finitura della parete circostante utilizzando le medesime tecniche di stuccatura, rasatura o tinteggiatura di un'opera in muratura. si ottiene così l'effetto di un lembo di parete che, ritagliato, si solleva come a dischiudere una nicchia nella quale è celata la sorgente luminosa protetta da un vetro temprato. può essere installato sia su piani orizzontali che verticali.**

**dimensioni: 550x450x198mm, sporgenza dal muro 85mm.  
cablato con sorgente elettronica 3000K 22,1W 1745lm.  
alimentatore 240V 50-60Hz incluso.  
finiture: gesso grezzo.**

**IP20 rated recessed, wall and ceiling light fitting for indoor use. made of plaster so that the same finish of the surrounding wall can be applied to the fitting surface, using the same plastering, skim coating or painting techniques used for masonry. it's obtained an effect of a detached patch of wall that rises to reveal a niche in which the light source, protected by tempered glass, is concealed. the fitting can be applied either on horizontal or vertical surfaces.**

**sizes: 550x450x198mm, 85mm protruding from the wall.  
wired with 3000K 22.1W 1745lm led source.  
240V 50-60Hz power supply included.  
finish: raw plaster.**








**la DODò**      240V 50-60Hz      A      ff      IP20      CE      i  
**Vb6.534.01**    gesso grezzo · raw plaster      3000K      10,3

Ra	R9	ies tm-30		sdcM	mA	V <sub>f (min)</sub>	lm	W	lm/W	
97	90	Rf 96	Rg 100	step 2	900	24,6	1745	22,1	79	<b>A</b>
dz011	10	Ta25 °C		vita media · average life		50000 h	L80	B10		

dimensione foro cartongesso  
 cut-out dimensions for plasterboard  
 installation









Subscribe To Our Newsletter



**Distributor for Viabizzuno  
Architectural Lighting Solutions**

Web: [www.cirruslighting.co.uk](http://www.cirruslighting.co.uk)

Email: [sales@cirruslighting.co.uk](mailto:sales@cirruslighting.co.uk)

Tel: 0207 193 2175

Fax: 0207 193 3175

