





sistema di corpi illuminanti a sospensione per interni IP20.
realizzati in tre versioni, tutte con cinghia di sospensione in pelle (in due lunghezze: 1100mm o 2600mm) elettrificata internamente per alimentare e sostenere la sorgente led e il diffusore di luce, cablati con cavo in tessuto e connettore 'sottopelle' brevettato viabizzuno. disponibile con rosone a plafone con gancio di 270mm o rosone a scomparsa totale con gancio di 90mm.
'sul' composto da una sfera in vetro extra-chiaro di Ø175mm, disco metallico di Ø255mm e diffusore in cristallo trasparente. 'sole' composto da un bulbo in vetro extra-chiaro di Ø210mm e faretto led innestato lateralmente con diffusore in cristallo trasparente.
'va' composto da una campana in metallo di Ø54mm con ottica fascio stretto per luce d'accento. dimensioni massime : 'sul' Ø225x1700/3200mm, 'sole' Ø234x1650/3150mm, 'va' Ø 55x1480/2980mm. cablati con led 2700K o 3000K 4W.
accessori: fibbie per la regolazione della lunghezza ed elementi di decentramento. alimentatore 100-240v 50-60Hz incluso , nella versione a plafone; alimentatore tensione costante 24Vdc escluso da installare remoto nella versione a scomparsa totale. finitura: ottone satinato.

IP20-rated system made of suspension light fittings for indoor use.
available in three versions, all with leather suspension belt (lengths available: 1100mm or 2600mm) which is internally electrified to supply and support the led source and light diffuser, wired with textile cable and 'underskin' connector (viabizzuno patent). available with ceiling rose with 270mm hook or fully concealed rose with 90mm hook.
'sul' consists of an extra-clear glass sphere (Ø175mm), a metal disc (Ø255mm) and a transparent crystal diffuser. 'sole' consists of an extra-clear glass bulb (Ø210mm) and a led spotlight fixed on the side with a transparent crystal diffuser. 'va' consists of a metal bell with a diameter of 54mm with narrow beam optics for accent light. maximum size: 'sul' Ø225x1700/3200mm, 'sole' Ø234x1650/3150mm, 'va' Ø55x1480/2980mm. wired with 2700K or 3000K 4W led.
accessories: buckles to adjust the length and off-centring elements.
100-240V 50-60Hz power supply unit included, for the ceiling version; constant voltage 24Vdc power supply unit not included, to be installed remotely, for the fully concealed version.
finish: satin brass.





montaggio a soffitto.
ceiling mounting.



sul	240V 50/60Hz	A	IP20	CE
-----	--------------	---	------	----

Vb8.621.01.27 cinghia in pelle nera elettrificata l. 1100 led 2700K 4W
e sfera in vetro con disco
black leather electrified belt l. 1100
and glass sphere with plate


Vb8.621.02.27 cinghia in pelle grigia elettrificata l. 1100 led 2700K 4W
e sfera in vetro con disco
grey leather electrified belt l. 1100
and glass sphere with plate

lunghezza totale l. 1700mm
total lenght l. 1700mm

Vb8.621.03.27 cinghia in pelle nera elettrificata l. 2600 led 2700K 4W
e sfera in vetro con disco
black leather electrified belt l. 2600
and glass sphere with plate


Vb8.621.04.27 cinghia in pelle grigia elettrificata l. 2600 led 2700K 4W
e sfera in vetro con disco
grey leather electrified belt l. 2600
and glass sphere with plate

lunghezza totale l. 3200mm
total lenght l. 3200mm



sul		240V 50/60Hz	A	⊕ IP20	CE
Vb8.621.01.30	cinghia in pelle nera elettrificata l. 1100 e sfera in vetro con disco black leather electrified belt l. 1100 and glass sphere with plate	led 3000K	4W		
Vb8.621.02.30	cinghia in pelle grigia elettrificata l. 1100 e sfera in vetro con disco grey leather electrified belt l. 1100 and glass sphere with plate	led 3000K	4W		
	lunghezza totale l. 1700mm total lenght l. 1700mm				
Vb8.621.03.30	cinghia in pelle nera elettrificata l. 2600 e sfera in vetro con disco black leather electrified belt l. 2600 and glass sphere with plate	led 3000K	4W		
Vb8.621.04.30	cinghia in pelle grigia elettrificata l. 2600 e sfera in vetro con disco grey leather electrified belt l. 2600 and glass sphere with plate	led 3000K	4W		
	lunghezza totale l. 3200mm total lenght l. 3200mm				

montaggio a scomparsa totale.
fully concealed mounting



sul		 IP20	CE
-----	---	--	----

Vb8.621.11.27 cinghia in pelle nera elettrificata l. 1100 led 2700K 4W
e sfera in vetro con disco 250mA
black leather electrified belt l. 1100
and glass sphere with plate


Vb8.621.12.27 cinghia in pelle grigia elettrificata l. 1100 led 2700K 4W
e sfera in vetro con disco 250mA
grey leather electrified belt l. 1100
and glass sphere with plate

lunghezza totale l. 1520mm
total lenght l. 1520mm


Vb8.621.13.27 cinghia in pelle nera elettrificata l. 2600 led 2700K 4W
e sfera in vetro con disco 250mA
black leather electrified belt l. 2600
and glass sphere with plate

Vb8.621.14.27 cinghia in pelle grigia elettrificata l. 2600 led 2700K 4W
e sfera in vetro con disco 250mA
grey leather electrified belt l. 2600
and glass sphere with plate

lunghezza totale l. 3020mm
total lenght l. 3020mm




sul				IP20	CE	
Vb8.621.11.30	cinghia in pelle nera elettrificata l. 1100 e sfera in vetro con disco black leather electrified belt l. 1100 and glass sphere with plate	led 3000K	4W	250mA		
Vb8.621.12.30	cinghia in pelle grigia elettrificata l. 1100 e sfera in vetro con disco grey leather electrified belt l. 1100 and glass sphere with plate	led 3000K	4W	250mA		
	lunghezza totale l. 1520mm total lenght l. 1520mm					
Vb8.621.13.30	cinghia in pelle nera elettrificata l. 2600 e sfera in vetro con disco black leather electrified belt l. 2600 and glass sphere with plate	led 3000K	4W	250mA		
Vb8.621.14.30	cinghia in pelle grigia elettrificata l. 2600 e sfera in vetro con disco grey leather electrified belt l. 2600 and glass sphere with plate	led 3000K	4W	250mA		
	lunghezza totale l. 3020mm total lenght l. 3020mm					




montaggio a soffitto. ceiling mounting.

sole	240V 50/60Hz	A	IP20	CE
Vb8.621.21.27	cinghia in pelle nera elettrificata l. 1100 e sfera in vetro black leather electrified belt l. 1100 and glass sphere	led 2700K	4W	
Vb8.621.22.27	cinghia in pelle grigia elettrificata l. 1100 e sfera in vetro grey leather electrified belt l. 1100 and glass sphere lunghezza totale l. 1650mm total lenght l. 1650mm	led 2700K	4W	
Vb8.621.23.27	cinghia in pelle nera elettrificata l. 2600 e sfera in vetro black leather electrified belt l. 2600 and glass sphere	led 2700K	4W	
Vb8.621.24.27	cinghia in pelle grigia elettrificata l. 2600 e sfera in vetro grey leather electrified belt l. 2600 and glass sphere lunghezza totale l. 3150mm total lenght l. 3150mm	led 2700K	4W	



sole	240V 50/60Hz	A	IP20	CE
Vb8.621.21.30	cinghia in pelle nera elettrificata l. 1100 e sfera in vetro black leather electrified belt l. 1100 and glass sphere	led 3000K	4W	
Vb8.621.22.30	cinghia in pelle grigia elettrificata l. 1100 e sfera in vetro grey leather electrified belt l. 1100 and glass sphere lunghezza totale l. 1650mm total lenght l. 1650mm	led 3000K	4W	
Vb8.621.23.30	cinghia in pelle nera elettrificata l. 2600 e sfera in vetro black leather electrified belt l. 2600 and glass sphere	led 3000K	4W	
Vb8.621.24.30	cinghia in pelle grigia elettrificata l. 2600 e sfera in vetro grey leather electrified belt l. 2600 and glass sphere lunghezza totale l. 3150mm total lenght l. 3150mm	led 3000K	4W	

montaggio a scomparsa totale.
fully concealed mounting



sole			IP20	CE
------	---	---	------	----

Vb8.621.31.27 cinghia in pelle nera elettrificata l. 1100 led 2700K 4W
e sfera in vetro 250mA
black leather electrified belt l. 1100
and glass sphere


Vb8.621.32.27 cinghia in pelle grigia elettrificata l. 1100 led 2700K 4W
e sfera in vetro 250mA
grey leather electrified belt l. 1100
and glass sphere

lunghezza totale l. 1470mm
total lenght l. 1470mm


Vb8.621.33.27 cinghia in pelle nera elettrificata l. 2600 led 2700K 4W
e sfera in vetro 250mA
black leather electrified belt l. 2600
and glass sphere

Vb8.621.34.27 cinghia in pelle grigia elettrificata l. 2600 led 2700K 4W
e sfera in vetro 250mA
grey leather electrified belt l. 2600
and glass sphere

lunghezza totale l. 2970mm
total lenght l. 2970mm




sole				IP20	CE	
Vb8.621.31.30	cinghia in pelle nera elettrificata l. 1100 e sfera in vetro black leather electrified belt l. 1100 and glass sphere	led 3000K	4W 250mA			
Vb8.621.32.30	cinghia in pelle grigia elettrificata l. 1100 e sfera in vetro grey leather electrified belt l. 1100 and glass sphere	led 3000K	4W 250mA			
	lunghezza totale l. 1470mm total lenght l. 1470mm					
Vb8.621.33.30	cinghia in pelle nera elettrificata l. 2600 e sfera in vetro black leather electrified belt l. 2600 and glass sphere	led 3000K	4W 250mA			
Vb8.621.34.30	cinghia in pelle grigia elettrificata l. 2600 e sfera in vetro grey leather electrified belt l. 2600 and glass sphere	led 3000K	4W 250mA			
	lunghezza totale l. 2970mm total lenght l. 2970mm					




montaggio a soffitto. ceiling mounting.

va	240V 50/60Hz	A	IP20	CE
Vb8.621.41.27	cinghia in pelle nera elettrificata l. 1100 e campana in metallo black leather electrified belt l. 1100 and metal bell	led 2700K	4W	
Vb8.621.42.27	cinghia in pelle grigia elettrificata l. 1100 e campana in metallo grey leather electrified belt l. 1100 and metal bell	led 2700K	4W	
	lunghezza totale l. 1475mm total lenght l. 1475mm			
Vb8.621.43.27	cinghia in pelle nera elettrificata l. 2600 e campana in metallo black leather electrified belt l. 2600 and metal bell	led 2700K	4W	
Vb8.621.44.27	cinghia in pelle grigia elettrificata l. 2600 e campana in metallo grey leather electrified belt l. 2600 and metal bell	led 2700K	4W	
	lunghezza totale l. 2975mm total lenght l. 2975mm			




va	240V 50/60Hz	A	⊕ IP20	CE	
Vb8.621.41.30	cinghia in pelle nera elettrificata l. 1100 e campana in metallo black leather electrified belt l. 1100 and metal bell	led 3000K	4W		
Vb8.621.42.30	cinghia in pelle grigia elettrificata l. 1100 e campana in metallo grey leather electrified belt l. 1100 and metal bell	led 3000K	4W		
	lunghezza totale l. 1475mm total lenght l. 1475mm				
Vb8.621.43.30	cinghia in pelle nera elettrificata l. 2600 e campana in metallo black leather electrified belt l. 2600 and metal bell	led 3000K	4W		
Vb8.621.44.30	cinghia in pelle grigia elettrificata l. 2600 e campana in metallo grey leather electrified belt l. 2600 and metal bell	led 3000K	4W		
	lunghezza totale l. 2975mm total lenght l. 2975mm				

montaggio a scomparsa totale.
fully concealed mounting









va		 IP20	CE	
Vb8.621.51.27	cinghia in pelle nera elettrificata l. 1100 e campana in metallo black leather electrified belt l. 1100 and metal bell	led 2700K	4W 250mA	
Vb8.621.52.27	cinghia in pelle grigia elettrificata l. 1100 e campana in metallo grey leather electrified belt l. 1100 and metal bell	led 2700K	4W 250mA	
	lunghezza totale l. 1295mm total lenght l. 1295mm			
Vb8.621.53.27	cinghia in pelle nera elettrificata l. 2600 e campana in metallo black leather electrified belt l. 2600 and metal bell	led 2700K	4W 250mA	
Vb8.621.54.27	cinghia in pelle grigia elettrificata l. 2600 e campana in metallo grey leather electrified belt l. 2600 and metal bell	led 2700K	4W 250mA	
	lunghezza totale l. 2795mm total lenght l. 2795mm			



va		 IP20	CE 
Vb8.621.51.30	cinghia in pelle nera elettrificata l. 1100 e campana in metallo black leather electrified belt l. 1100 and metal bell	led 3000K	4W 250mA
Vb8.621.52.30	cinghia in pelle grigia elettrificata l. 1100 e campana in metallo grey leather electrified belt l. 1100 and metal bell	led 3000K	4W 250mA
	lunghezza totale l. 1295mm total lenght l. 1295mm		
Vb8.621.53.30	cinghia in pelle nera elettrificata l. 2600 e campana in metallo black leather electrified belt l. 2600 and metal bell	led 3000K	4W 250mA
Vb8.621.54.30	cinghia in pelle grigia elettrificata l. 2600 e campana in metallo grey leather electrified belt l. 2600 and metal bell	led 3000K	4W 250mA
	lunghezza totale l. 2795mm total lenght l. 2795mm		

esempio di installazione decentramento
a soffitto
example of decentralization for ceiling
installation



componenti. components



Vb9.580.73 cassaforma cartongesso scomparsa totale
plasterboard housing total recessed

Vb9.580.74 cassaforma laterizio scomparsa totale
brick housing total recessed




accessori. accessories.




Vb8.621.80 decentramento per installazione a soffitto
decentralization for ceiling installation

Vb8.621.81 fibbia regolazione lunghezza cinghia
adjustment buckle for leather belt 2 pz
2 pcs

instalzione fibbia regolazione
adjustment buckle installation





Contact Us



**Distributor for Viabizzuno
Architectural Lighting Solutions**

Web: www.cirruslighting.co.uk

Email: sales@cirruslighting.co.uk

Tel: 0207 193 2175

Fax: 0207 193 3175

